

LANDMARK CERAMICS



"Stone" is a gathering of porcelain tile collections that are inspired by different natural stones. Amazing surfaces for floors and walls that recall the shades of the natural material enhancing architecture and design with character and intense elegance. The excellent technical characteristics of Landmark porcelain tile guarantees optimal performance in every intended use both residential and commercial.

A new landmark in the ceramic industry

Landmark ceramics is an American company, based in Tennessee that has set out to research, manufacture and sell top quality porcelain ceramics in North America, taking advantage of the proven experience of the Gruppo Concorde, an international leader in the sector. Technological innovation, market presence, attention to detail, the welfare of people and the environment, efficient service and a thorough product range make Landmark a new benchmark in the North American market for those who are looking for a reliable partner for any building and architecture project using US Made top quality porcelain tiles.

TREK FOLLOW YOUR NATURE

Traditional architecture is the inspiration for a collection of porcelain stoneware with a slate effect, offering again the timeless beauty of the graphics based on the structure of cleft slate. Intense colors and natural surface finishes provide contemporary private and public spaces with the charm of past architectural styles and a new contemporary character.

LEARN MORE ABOUT



EMOTIONS

The Trek collection endows spaces with great personality, covering floors and walls with the expressive strength of the stone. Natural elegance and harmonious design come together, strengthened by the possibility of combining the different colors in the collection together.





On the surfaces, the slate effect is surprisingly realistic because of the graphic details and soft structure.



PROJECT

FLOOR DESIGN Trek Vulcan, Silver - 12"x24" WALL DESIGN Trek Silver Wall B - 12"x24" True Contemporary White - 8"x40"





SOPHISTICATED HOSPITALITY

The vibrant colors and materiality of Trek endow each place with elegance and charm, revealing the authentic soul of the rooms when covered. Spaces are given strong personality, where the visual strength of the mosaics and decorations is combined with the striking variation of tile patterns, giving an end result of great impact overall.

PROJECT

FLOOR DESIGN
Trek Vulcan - 12"x24"
WALL DESIGN
Trek Vulcan, Anthracite - 12"x24"
True Modern Grey - 8"x40"
Trek Vulcan Mosaic A - 12"x12"

Landmark Tower Hall





The decorative nature and visual impact of slate are enhanced by elegant patterns for the tiles.



STONE DESIGN

PROJECT

FLOOR DESIGN Trek Vulcan - 12"x24" WALL DESIGN





WELLNESS SUGGESTIONS

The profound expressiveness of the stone instils peace in the room. The dialogue between the natural and material look of Trek on floor and walls and the presence of water endows surfaces with a sense of infinite relaxation and a welcoming and relaxing look to the spa.

PROJECT

> ₹

PSPA

 \Rightarrow

FLOOR DESIGN
Trek Lead - 12"x24"
WALL DESIGN
Trek Lead Wall B - 12"x24"
Trek Lead - 12"x24"



6

The authenticity and intensity of the slate effect, combined with other natural inspirations like wood, enable designers to combine different materials and confer expressiveness on the room.

PROJECT | FLOOR DESIGN

Trek Lead - 12"x24"



MPECCABLE PERFORMANCE

Trek combines the practicality, hygiene, durability and ease of cleaning of porcelain stoneware with aesthetic elegance and excellence, for rooms with floors and walls with slate-effect surfaces that always look clean and contemporary.

PROJECT FLOOR DESIGN

Trek Anthracite - 12"x24"

Trek Mix Mosaic D - 12"x10"

WALL DESIGN

Trek Sand Wall B - 12"x24"


Trek Sand - 12"x24"

Trek Mix Mosaic D - 12"x10"

True Classic Oak - 8"x40"



PERFECT BLEND





The decorations mix different slate colors to produce original solutions for floors and walls using the elegant shape of the hexagon.

PROJECT

FLOOR DESIGN
Trek Silver - 12"x24"
Trek Mix Mosaic D - 12"x10"
WALL DESIGN
Trek Sand Wall B - 12"x24"
Trek Sand - 12"x24"
Trek Mix Mosaic D - 12"x10"
True Classic Oak - 8"x40"



REFINEMENT



PROJECT


FLOOR DESIGN
Trek Sand - 12"x24"
WALL DESIGN
Trek Sand Wall B - 12"x24"
Trek Sand Mosaic A - 12"x12"
Trek Sand - 12"x24"
True Elegant Walnut - 8"x40"



The feeling of the structured surface of slate merges harmoniously with the wood effect giving a completely natural look.









The different shades of the pieces make the room look even more natural and produce interesting color variations on large surfaces.

PROJECT

Trek Sand - 12"x24" WALL DESIGN

Trek Sand Wall B - 12"x24" Trek Sand - 12"x24"

FLOOR DESIGN

WELL-FINISHED **DETAILS**



MATT FINISH



FADING RESISTANT

stable chromatically over time



DOESN'T BEND

hard and compact



ECO-FRIENDLY AND SAFE



PET FRIENDLY

dog and cat nails proof



RESISTANT TO FROST

snow and ice proof



FLOOR HEAT FRIENDLY



RESISTANT TO ACID



EASY TO KEEP CLEAN



NO VOC

volatile organic compound



WATER PROOF

doesn't absorbe



FIRE PROOF

doesn't burn or smoke

MATT FINISH

MATT FINISH








Color shading



\$20% LEAD

Available sizes



Color shading



SAND



Available sizes



Color shading




ANTHRACITE



\$20%



Available sizes




Color shading



VULCAN



Available sizes



Color shading



The color of tiles printed in this catalogue may differ from actual tiles. Tile color reproductions in this catalogue are representative only. Slight tone and shade variations are inherent in porcelain tiles. Before selecting a color, we recommend that you contact your local representative, who will provide you with a sample piece of the requested tile.

This porcelain tile product is manufactured with a V2 shade variation. Remember that the amount of color as well as the texture of each piece may vary from tile to tile. Inspect the product immediately upon delivery and select tiles from many boxes during installation to minimize and blend any possible color difference.

Color Shading







MODERATE VARIATION SUBSTANTIAL VARIATION

MOSAICS

COLORED BODY PORCELAIN TILE

MATT FINISH

3.15"x2.8"

12"x10" ₹ 0.35"/9 mm



TREK

Silver Mosaic A 2"x2" 12"x12"



Anthracite Mosaic A 2"x2" 12"x12"



Lead Mosaic A 2"x2" 12"x12"



Vulcan Mosaic A 2"x2" 12"x12"



Sand Mosaic A 2"x2" 12"x12"





Trek Mix Mosaic D 1.8"x2.4" 12"x10"









DECOR RANGE

MATT FINISH



Silver Wall B 12"x24"



Anthracite Wall B 12"x24"



Lead Wall B 12"x24"




Vulcan Wall B 12"x24"



Sand Wall B 12"x24"



12"x24" **★** 0.35"/9 mm





RECOMMENDED USE

Trek is recommended for indoor floors, walls, countertops, and outdoor walls in commercial and residential application. The use of Trek is not recommended for outdoor application or horizontal exterior surfaces. Landmark recommends an offset no greater than 30%, if a staggered pattern is required for tiles of 20" inches or longer.

CARE AND MAINTENANCE

Do not apply any wax or sealer to the product after installation. Regular cleaning is the best way to keep Trek tiles looking good. Use clean, hot water (add household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent water spots. Please visit Icusa.com. For further information regarding the care and maintenance of Landmark products.

WARRANTY

Landmark guarantees that its products will meet or exceed the performance specifications set out in ANSI A137.1- 2012 and in the performance specifications section of the Landmark general catalogue. For more information, please visit our website at Icusa.com.



NORTH AMERICAN DHYSICAL DDODEDTIES

PHYSICAL PROPERTIES	TEST ASTM	STANDARD A137.1*	RESULTS
Water absorption *	C373	≤ 0.5%	COMPLY WITH ANSI A137.1
DCOF Average dynamic coefficient of friction **	BOT 3000 test	≥ 0.42	≥ 0.42
Resistance to freeze/thaw cycling *	C1026	As reported	RESISTANT
Warpage (edge)	C485	Warpage ± 0.4% or ± 0.05 in	COMPLY WITH ANSI A137.1
Warpage (diagonal)	C485	Warpage ± 0.4% or ± 0.07 in	COMPLY WITH ANSI A137.1
Wedging	C502	± 0.25% or ± 0.03 in	COMPLY WITH ANSI A137.1
Chemical resistance	C650	As reported	UNAFFECTED
Breaking strength	C648	250 lbf or greater	COMPLY WITH ANSI A137.1
Thickness	C499	Range: 0.04 in	COMPLY WITH ANSI A137.1

- * Average values referred to our production and related to the matt finish of the product.

 ** As far as values relating to the matt finish of the product and to tests carried out by certified external laboratories whose results are available upon request at Headoffice, we are willing to check the lot you are interested in purchasing.
- Be sure to use tiles belonging to the same caliber.
- Test results are available on request.
- Landmark tiles can be slippery when wet. We recommend to make sure that the surface is always dry.
- The information provided can be subject to change. Please refer to lcusa.com for the latest, most accurate and up-to-date information.















TILE PERFORMANCE DATA





Landmark Ceramics - UST, Inc. 1427 N. Main Street Mount Pleasant, TN 38474

Tel. 931.325.5700

LEARN MORE ABOUT

